

2025

Floor Tiles



You and Roman



You and Roman.



2025
Catalog

Index

02 Company

04 Floor Tile

48 Shade Variations & R Rating

50 Technical Specifications

51 Collection Index



Roman

The company

A solid brand in ceramic industry

Since the early 70's, the company committed to the ceramic tiles industry with the production of wall tiles in PT. Metropole Megah, East Java. In the 90's Roman proved its solidity by opening a second plant, PT. Satyaraya Keramindoindah, in Tangerang, Indonesia. As a testament of its increasing success, production of a third plant in East Java started in 2007: this plant is named PT. Roman Ceramic International and is equipped with the most advanced Italian technology, making it one of the most efficient ceramic factories in the whole Indonesia and Asia.

Roman's facilities have been producing floor and wall tiles for the international market for more than three decades. Today, Roman continues to grow steadily, emerging as a leading international player and exporting to more than 90 countries worldwide, with an annual production capacity of 24 million square meters, managing the entire manufacturing process from raw materials to finished products. On a quest for flawless quality, in line with Roman's business philosophy, the standards set by the ISO 9001 certification guarantee the company has what it takes to compete in the global market.

PT. Roman Ceramic International and PT. Satyaraya Keramindoindah both belong to Lyman Group's Building Material Division.





Cutting edge technology and uncompromising quality

Roman has perfected techniques that make its ceramic tiles among the most durable and appealing in the market. Sophisticated, Italian-made equipment and innovative processes ensure excellent colour consistency and vibrant hues with low maintenance year after year. Strict controls at each stage of manufacturing guarantee that each tile leaving the factory complies with the highest international and ISO standards. Plus, even the biggest delivery commitment or the tightest deadline is easily met, thanks to the company's one-roof, fully computerized system.



A professional approach to fulfil our commitments

Professionalism is key to Roman's reputation as a leading producer of ceramic tiles. With a truly multinational team, we work hard to maintain an efficient communication flow, making sure we make good on our commitments. A holistic approach to the development of human resources gives our personnel a chance to grow, refining their skills and deepening their expertise while gaining an understanding of the company's operations as a whole. Such an approach promotes teamwork, allowing us to fulfil, and even exceed, our customers' expectations.

Floor Tiles



With Gress
Technology

Inside & Outside contemporary spaces.

Floor tiles **designed with cutting-edge technology** to meet the best standards of performance and beauty. All collections are manufactured using **single-fired Gres Technology**. The tiles are pressed and fired at high temperatures to minimize the pores in the body. The result is a product with outstanding flexural strength.

40x40

Abitare	32
Adelaide	25
Alexa	30
Chrysant	24
dAcera	8
dAcropolis	28
dAichi	13
dAguilar	15
dApulia	14
dBaffin	7
dBrisbane	27
dCastrum	6
dColle	12
dCopertino	19
dCoral	11
dDmica	17
dKrubera	16
dLogan	20
dMiami	21
dNagoya	18
dNavarre	33
dRegato	9
dVaranda	10
Epoca	29
Monte	23
Riviera	31
Sandstone	26
Vivaz	22

30x30

Dallas	37
dBanda	45
dBatur	46
dBolonia	38
dGranum	39
dLastrico	47
dLegian	41
dPadua	40
Faenza	42
Graniti	35
Osaka	36
Rocktile	44
Vivaz	34





V3

Slip Resistant
R-11

dCastrum Brown

dCastrum

Floor Tiles

40x40 cm
Structured



G440100
dCastrum Brown
40 x 40 - Gol. B



dBaffin Unique

Slip Resistant
R-12



V4

/ V3



40x40 cm Floor Tiles
Structured

dBaffin



G440558
dBaffin Natural
40 x 40 - Gol. B



G440560
dBaffin Unique
40 x 40 - Gol. B



G440559
dBaffin Earth
40 x 40 - Gol. B



V2

Slip Resistant
R-11

dAcera Grigio

dAcera

Floor Tiles

40x40 cm
Structured



G440410
dAcera Crema
40 x 40 - Gol. B



G440412
dAcera Grigio
40 x 40 - Gol. B



dRegato Grey

Slip Resistant
R-11

V2



40x40 cm
Structured

Floor Tiles

dRegato



G440551
dRegato Grey
40 x 40 - Gol. B



V1

Slip Resistant
R-11

dVaranda Summer / dVaranda Bruno

dVaranda

Floor Tiles

40x40 cm
Structured




G440873
dVaranda Bruno
40 x 40 - Gol. B




G440874
dVaranda Summer
40 x 40 - Gol. B




G440875
dVaranda Desert
40 x 40 - Gol. B




G440870
dVaranda Grigio
40 x 40 - Gol. B



G440871
dVaranda Winter
40 x 40 - Gol. B



G440872
dVaranda Mountain
40 x 40 - Gol. B



dCoral Bruno

Slip Resistant
R-11

V2



40x40 cm
Structured

Floor Tiles

dCoral



G440106
dCoral Grigio
40 x 40 - Gol. B



G440107
dCoral Bruno
40 x 40 - Gol. B



V1


Slip Resistant
R-9

dColle

dColle Perla

Floor Tiles

40x40 cm
Matt



G447441
dColle Perla
40 x 40 - Gol. AM



dAichi Mokka

Slip Resistant
R-10

V2 



40x40 cm Floor Tiles
Matt

dAichi



G447254
dAichi Beige
40 x 40 - Gol. AM



G447256
dAichi Mokka
40 x 40 - Gol. AM



G447253
dAichi Pearl
40 x 40 - Gol. AM



G447255
dAichi Grey
40 x 40 - Gol. AM



V2

Slip Resistant
R-10

dApulia Pearl

dApulia

Floor Tiles

40x40 cm
Matt



G447251
dApulia Beige
40 x 40 - Gol. AM



G447250
dApulia Pearl
40 x 40 - Gol. AM



G447252
dApulia Grey
40 x 40 - Gol. AM



dAguilar Beige

Slip Resistant
R-10

V2



40x40 cm Floor Tiles
Matt

dAguilar



G447258
dAguilar Beige
40 x 40 - Gol. AM



G447257
dAguilar Perla
40 x 40 - Gol. AM



G447260
dAguilar Machiato
40 x 40 - Gol. AM



G447259
dAguilar Grigio
40 x 40 - Gol. AM



V2

Slip Resistant
R-12

dKrubera Grigio


dKrubera

Floor Tiles

40x40 cm
Structured



G440505
dKrubera Grigio
40 x 40 - Gol. A



G440506
dKrubera Charcoal
40 x 40 - Gol. A



dDomica Volcanic

Slip Resistant
R-11


V2



40x40 cm
Structured

Floor Tiles

dDomica



G440502
dDomica Ash
40 x 40 - Gol. B



G440503
dDomica Volcanic
40 x 40 - Gol. B



G440500
dDomica Sand
40 x 40 - Gol. B



G440501
dDomica Desert
40 x 40 - Gol. B



V2

Slip Resistant
R-10

dNagoya Grey

dNagoya

Floor Tiles

40x40 cm
Matt



G447500
dNagoya Bone
40 x 40 - Gol. A



G447502
dNagoya Grey
40 x 40 - Gol. A



G447501
dNagoya Beige
40 x 40 - Gol. A



G447504
dNagoya Smoke
40 x 40 - Gol. A



G447503
dNagoya Taupe
40 x 40 - Gol. A



dCopertino Perla

Slip Resistant
R-12

V2 



40x40 cm Floor Tiles
Matt

dCopertino



G447400
dCopertino Perla
40 x 40 - Gol. B



G447401
dCopertino Grigio
40 x 40 - Gol. B



V2

Slip Resistant
R-11

dLogan Grey

dLogan

Floor Tiles

40x40 cm
Matt



G447510
dLogan Sand
40 x 40 - Gol. A



G447512
dLogan Grey
40 x 40 - Gol. A



G447513
dLogan Charcoal
40 x 40 - Gol. A



dMiami Grigio

Slip Resistant
R-10 | V2 



40x40 cm Floor Tiles
Matt

dMiami



G447518
dMiami Grigio
40 x 40 - Gol. A



V1


Slip Resistant
R-10

Vivaz Bianco


Vivaz

Floor Tiles

40x40 cm
Matt



G447106
Vivaz Bianco
40 x 40 - Gol. B



G447105
Vivaz White
40 x 40 - Gol. AM



Monte Perla

Slip Resistant
R-9



40x40 cm **Floor Tiles**
Matt

Monte



G447442
Monte Perla
40 x 40 - Gol. B



V2

Slip Resistant
R-10

Chrysant Bone

Chrysant

Floor Tiles


40x40 cm
Matt



G447311
Chrysant Bone
40 x 40 - Gol. B



G447313
Chrysant Beige
40 x 40 - Gol. B



G447314
Chrysant Grey
40 x 40 - Gol. B



Adelaide Smoke

Slip Resistant
R-10



40x40 cm Floor Tiles
Matt


Adelaide



G442240
Adelaide Bone
40 x 40 - Gol. A



G442241
Adelaide Cream
40 x 40 - Gol. A




G442242
Adelaide Coffee
40 x 40 - Gol. A



G442243
Adelaide Smoke
40 x 40 - Gol. A



G442244
Adelaide Stone
40 x 40 - Gol. A



V2


Slip Resistant
R-10

Sandstone Cream

Sandstone

Floor Tiles

40x40 cm
Matt



G447509
Sandstone Bone
40 x 40 - Gol. B



G447508
Sandstone Cream
40 x 40 - Gol. B



dBrisbane Grigio

Slip Resistant
R-10

| V2



40x40 cm
Matt

Floor Tiles

dBrisbane



G447322
dBrisbane Perla
40 x 40 - Gol. B



G447323
dBrisbane Grigio
40 x 40 - Gol. B



V2

Slip Resistant
R-10

dAcropolis Rosso

dAcropolis

Floor Tiles

40x40 cm
Structured



G440850
dAcropolis Rosso
40x40 - Gol. B



Epoca Roso

Slip Resistant
R-10

V1



40x40 cm **Floor Tiles**
Structured

Epoca



G440847
Epoca Roso
40x40 - Gol. B




V2

Alexa

Floor Tiles

40x40 cm
Glossy

Alexa Crema



G449233
Alexa Crema
40 x 40 - Gol. B



G449235
Alexa Grigio
40 x 40 - Gol. B



Riviera Bone



40x40 cm
Glossy

Floor Tiles

Riviera



G449236
Riviera Bone
40 x 40 - Gol. B



Abitare Carrara

Abitare

Floor Tiles

40x40 cm
Glossy



G449201
Abitare Carrara
40 x 40 - Gol. B



dNavarre Perla

V3 

40x40 cm **Floor Tiles**
Glossy

dNavarre



G449340
dNavarre Perla
40 x 40 - Gol. B



V1

Slip Resistant
R-10

Vivaz

Vivaz Bianco

Floor Tiles 30x30 cm
Matt




G337105
Vivaz White
30 x 30 - Gol. AM



G337106
Vivaz Bianco
30 x 30 - Gol. C



G337102
Vivaz Crema
30 x 30 - Gol. B



G337104
Vivaz Perla
30 x 30 - Gol. B



Graniti Smoke

Slip Resistant
R-10

V1



30x30 cm **Floor Tiles**
Matt


Graniti



G337408
Graniti Wheat
30 x 30 - Gol. B



G337403
Graniti Smoke
30 x 30 - Gol. B



G337409
Graniti Charcoal
30 x 30 - Gol. B



v2

Slip Resistant
R-10

Osaka Dust

Osaka

Floor Tiles


30x30 cm
Matt




G337200
Osaka White
30 x 30 - Gol. B



G337201
Osaka Dust
30 x 30 - Gol. B



G337202
Osaka Grey
30 x 30 - Gol. B



G337203
Osaka Charcoal
30 x 30 - Gol. B



Dallas Mocha

Slip Resistant
R-10

| V2



30x30 cm **Floor Tiles**
Matt


Dallas



G337211
Dallas Bone
30 x 30 - Gol. B



G337212
Dallas Beige
30 x 30 - Gol. B



G337213
Dallas Mocha
30 x 30 - Gol. B



v2

Slip Resistant
R-10

dBolonia Bone

dBolonia

Floor Tiles

30x30 cm
Matt



G337504
dBolonia Bone
30 x 30 - Gol. B



G337505
dBolonia Beige
30 x 30 - Gol. B



dGranum Smoke




30x30 cm
Matt

Floor Tiles


dGranum



G337257
dGranum Wheat
30 x 30 - Gol. AM



G337258
dGranum Smoke
30 x 30 - Gol. AM



G337259
dGranum Charcoal
30 x 30 - Gol. AM



V2

Slip Resistant
R-10

dPadua Crema

dPadua

Floor Tiles


30x30 cm
Matt



G337254
dPadua Crema
30 x 30 - Gol. AM



G337253
dPadua Perla
30 x 30 - Gol. AM



G337255
dPadua Grigio
30 x 30 - Gol. AM



G337256
dPadua Machiato
30 x 30 - Gol. AM



dLegian Beige

Slip Resistant
R-10 | V2 




30x30 cm Floor Tiles
Matt

dLegian



G337250
dLegian Bone
30 x 30 - Gol. AM



G337251
dLegian Beige
30 x 30 - Gol. AM



G337252
dLegian Taupe
30 x 30 - Gol. AM



G330504
Faenza Terra
30 x 30 - Gol. B




Floor Tiles

30x30 cm
Structured

Faenza

Faenza Terra

Slip Resistant
R-10





V1


Slip Resistant
R-11

Rocktile Bronze


Rocktile

Floor Tiles


30x30 cm
Structured



G330601
Rocktile Caramel
30 x 30 - Gol. B



G330602
Rocktile Bronze
30 x 30 - Gol. B



G330604
Rocktile Anthracite
30 x 30 - Gol. B



dBanda Grigio

Slip Resistant
R-12

V2



30x30 cm
Structured

Floor Tiles

dBanda



G330514
dBanda Perla
30 x 30 - Gol. B



G330515
dBanda Grigio
30 x 30 - Gol. B



V2

Slip Resistant
R-10

dBatur Grigio

dBatur

Floor Tiles

30x30 cm
Structured



G330510
dBatur Perla
30 x 30 - Gol. B



G330511
dBatur Grigio
30 x 30 - Gol. B



G330513
dBatur Charcoal
30 x 30 - Gol. B

dLastrico Ash

Slip Resistant
R-12

V2



30x30 cm
Structured

Floor Tiles

dLastrico



G330800
dLastrico Ash
30 x 30 - Gol. B




G330801
dLastrico Grey
30 x 30 - Gol. B

Shade Variations



Shade variations are the characteristic of the tile that deliberate and visible differences in graphics and colour hue. Digital Tecnica technology creates stunning ceramic tiles with hyper-realistic surface tones, markings and textures which mimic a range of natural materials including; stone, timber, terracotta, cement, mosaic, marble and more.




V1 (Uniform Appearance)
Differences among pieces from the same production run are minimal.

Radiant White
30x30



V3 (Moderate Variation)
Amount and intensity of colors on each piece may vary significantly.

dAcacia Brown
Hexagonal 34x39



V2 (Slight Variation)
Clearly distinguishable differences in texture and/or pattern within similar colors.

dEtincelle Grey
30x60



V4 (Substantial Variation)
Random color differences each tile, so that one tile may have totally different colors from other tiles.

dSantorini Blue
Hexagonal 34x39

R- Rating Slip Resistant

Floor tiles these days are given an **anti slip rating**. This rating comes in the form of an 'R' value (Ramp test) with a scale from R9 to R13 (R9 having the least slip resistance and R13 the highest slip resistance).

CLASSIFICATION	R9	R10	R11	R12
SLIP ANGLE	6-9 Degree	10-18 Degree	19-26 Degree	27-34 Degree
WET SLIP RISK	High Risk	Moderate	Moderate	Low Risk
AREA OF USE	DRY AREA	OCCASSIONAL SPILLS AND WETNESS	WET/OUTDOOR ENVIROMENT	WET/OUTDOOR ENVIROMENT

- R9** : For internal dry area usage.
- R10** : For internal area with occasional spill or wetness (need constant cleaning/drying) : kitchens and bathrooms.
- R11** : For internal usage with constant spill or wetness (require continous cleaning and drying effort).
- R12** : For external usage (works in dry and wet situation with cautions).

Packaging Information



FACTORY	SIZE (CM)	PCS/BOX	APPROX. SQM/BOX	APPROX. WEIGHT/ BOX (KG)	BOXES/ PALLET	PALLETS/ CONTAINER	APPROX. WEIGHT/ PALLET (KG)	BOXES/ CONTAINER	APPROX. GROSS WEIGHT/ CONTAINER (TONNE)	APPROX. SQM/ CONTAINER
FLOOR TILES										
RCI	30x30	11	0.99	15	99	15	1510	1485	22.7	1470
RCI	40x40	6	0.96	15.5	80	19	1265	1520	24	1459

NOTE :

- Packing information may vary depending on specification of each motive and size.
- The colours illustrated in this brocure are produced near to actual colours.

Technical Specification



TECHNICAL CHARACTERISTIC	TEST METHOD OR AS PER NORM	FLOOR TILE		WALL TILE	
		ISO 13006 REQUIREMENT		ISO 13006 REQUIREMENT	
Length and Width	ISO 10545 - 2	± 0.6 %	± 0.4 %	± 0.5 %	± 0.4 %
Side Straightness	ISO 10545 - 2	± 0.5 %	± 0.3 %	± 0.3 %	± 0.3 %
Rectangularity	ISO 10545 - 2	± 0.6 %	± 0.4 %	± 0.5 %	± 0.4 %
Center Curvature & Edge Curvature	ISO 10545 - 2	± 0.5 %	- 0.15 % to + 0.25 %	- 0.3 % to + 0.5 %	- 0.15 % to + 0.25 %
Warpage	ISO 10545 - 2	± 0.5 %	± 0.3 %	± 0.5 %	± 0.3 %
Thickness	ISO 10545 - 2	± 5.0 %	± 4.0 %	± 10 %	± 3.0 %
Water Absorption	ISO 10545 - 3	B1b ≤ 3.0 %	B1 < 3.0 %	B3 > 10 %	B3 Less than 18 %
Modulus of Rupture	ISO 10545 - 4	B1b 30 Ind. Min. 27N/mm ²	≥ 35 N/mm ²	≥ 15 N/mm ²	≥ 17 N/mm ²
Crazing Resistance	ISO 10545 -11	Required	Resistant	Required	Resistant
Chemical Resistance	ISO 10545 - 13	Minimum Class GB	Minimum Class GB	Minimum Class GB	Minimum Class GB
Stain Resistance	ISO 10545 - 14	Minimum Class 3	Minimum Class 4	Minimum Class 3	Minimum Class 5
Abrasion Resistance	ISO 10545 - 7	Group I to V	Group III to V	Not Required	Not Required

NOTE :

- The governing sizes and weights are subject to the usual variations expected of fired ceramic productions.
- Slight variations of shades/colours and surface finishes are inherent due to the nature of ceramic tile production process.

Roman

Collection Index

Floor Tiles

40x40

Abitare	32
Adelaide	25
Alexa	30
Chrysant	24
dAcera	8
dAcropolis	28
dAichi	13
dAguilar	15
dApulia	14
dBaffin	7
dBrisbane	27
dCastrum	6
dColle	12
dCopertino	19
dCoral	11
dDmica	17
dKrubera	16
dLogan	20
dMiami	21
dNagoya	18
dNavarre	33
dRegato	9
dVaranda	10
Epoca	29
Monte	23
Riviera	31
Sandstone	26
Vivaz	22

30x30

Dallas	37
dBanda	45
dBatur	46
dBolonia	38
dGranum	39
dLastrico	47
dLegian	41
dPadua	40
Faenza	42
Graniti	35
Osaka	36
Rocktile	44
Vivaz	34



Office
PT. SATYA LANGGENG SENTOSA
marketing@romanceramics.com

Export Inquiry
export@romanceramics.com

House of Roman
Quadra Centrum
Jl. Taman Aries Blok E1.3 Meruya, Jakarta
Phone : (021) 256 84 730

Jl. RS. Fatmawati No. 6A, Jakarta
Phone : (021) 7591 4925

Pusat Bahan Bangunan dan Interior
Jl. Mangga Dua Raya Blok F2 No.1, Jakarta
Phone : (021) 601 1537

Jl. Boulevard Barat Raya
Ruko LC No. 16-18, Kelapa Gading, Jakarta
Phone : (021) 4533 315

Jl. Boulevard Raya, Graha Emerald MO5/O8 No.1
Gading Serpong, Tangerang
Phone : (021) 5999 3550

Jl. Veteran no. 24, Bandung
Phone : (022) 2051 3148

Bumi Indraprasta, Home & Living Center
Jl. Panyawangan Kav.6 - B No. 6
Kota Baru Parahyangan, Bandung Barat
Phone : (022) 8779 3262

Jl. Dr. Cipto No. 163, Semarang
Phone : (024) 7653 0559

Jl Raya Magelang No. 168, Kutu asem - Sinduadi,
Mlati - Sleman, Yogyakarta
Phone : (0274) 501 4280

Jl. Mayjen Sungkono No. 46, Surabaya
Phone : (031) 566 9780

Jl. Cokroaminoto No. 160, Ubung, Denpasar
Phone : (0361) 909 3478

Jl. Prof. H.M. Yamin SH No. 34, Medan
Phone : (061) 4561 562

June 2025



Discover More



www.roman.co.id

@roman.co.id | @houseofroman.official

You and ROMAN

