

2025

Interlok
Hexagonal



You and Roman



You and Roman.



2025
Catalog

Index

02 Company

04 Interlok Hexagonal

14 Shade Variations & R Rating

16 Technical Specifications

17 Collection Index



Roman

The company

A solid brand in ceramic industry

Since the early 70's, the company committed to the ceramic tiles industry with the production of wall tiles in PT. Metropole Megah, East Java. In the 90's Roman proved its solidity by opening a second plant, PT. Satyaraya Keramindoindah, in Tangerang, Indonesia. As a testament of its increasing success, production of a third plant in East Java started in 2007: this plant is named PT. Roman Ceramic International and is equipped with the most advanced Italian technology, making it one of the most efficient ceramic factories in the whole Indonesia and Asia.

Roman's facilities have been producing floor and wall tiles for the international market for more than three decades. Today, Roman continues to grow steadily, emerging as a leading international player and exporting to more than 90 countries worldwide, with an annual production capacity of 24 million square meters, managing the entire manufacturing process from raw materials to finished products. On a quest for flawless quality, in line with Roman's business philosophy, the standards set by the ISO 9001 certification guarantee the company has what it takes to compete in the global market.

PT. Roman Ceramic International and PT. Satyaraya Keramindoindah both belong to Lyman Group's Building Material Division.





A professional approach to fulfil our commitments


Professionalism is key to Roman's reputation as a leading producer of ceramic tiles. With a truly multinational team, we work hard to maintain an efficient communication flow, making sure we make good on our commitments. A holistic approach to the development of human resources gives our personnel a chance to grow, refining their skills and deepening their expertise while gaining an understanding of the company's operations as a whole. Such an approach promotes teamwork, allowing us to fulfil, and even exceed, our customers' expectations.

Cutting edge technology and uncompromising quality

Roman has perfected techniques that make its ceramic tiles among the most durable and appealing in the market. Sophisticated, Italian-made equipment and innovative processes ensure excellent colour consistency and vibrant hues with low maintenance year after year. Strict controls at each stage of manufacturing guarantee that each tile leaving the factory complies with the highest international and ISO standards. Plus, even the biggest delivery commitment or the tightest deadline is easily met, thanks to the company's one-roof, fully computerized system.

Interlok

Hexagonal




Uncompromising uniqueness.

Geometrical beauty and unmatched durability; **Interlok Hexagonal** is Roman's line of unique floor tiles to create fantasies of neatly defined shapes, giving your settings a dynamic feel.

34x39

HEXAGONAL20CM

dAcacia	8
dLigne	11
dModesto	7
dSantorini	10
dTravessa	6
dTribeca	9





V2



V1

Slip Resistant
R-10

dTravessa Cube

dTravessa

Hexagonal
Tiles

34x39 cm
Matt




GH348065
dTravessa Light
34x39 - Gol. A



GH348066
dTravessa Medium
34x39 - Gol. A



GH348067
dTravessa Dark
34x39 - Gol. A



GH348070
dTravessa Cube
34x39 - Gol. A

DECORATIVE TILES:



dModesto Perla

Slip Resistant
R-10




Hexagonal 34x39 cm
Tiles Matt


dModesto




GH348061
dModesto Perla
34X39 - Gol. A



GH348062
dModesto Grigio
34X39 - Gol. A



GH348063
dModesto Charcoal
34X39 - Gol. A



V3

Slip Resistant
R-10

dAcacia

Hexagonal
Tiles

34x39 cm
Matt



dAcacia Bone



GH348082
dAcacia Bone
34x39 - Gol. A



GH348083
dAcacia Brown
34x39 - Gol. A



dTribeca Natural

Slip Resistant
R-9

V2



Hexagonal 34x39 cm
Tiles Matt

dTribeca



GH348060
dTribeca Natural
34X39 - Gol. A



V4

Slip Resistant
R-9

dSantorini Blue

dSantorini

Hexagonal
Tiles

34x39 cm
Matt



GH348059
dSantorini Blue*
34X39 - Gol. A

*Wide Variety of design within 1 box.
Randomly packed within each box.



dLigne Gris

Slip Resistant
R-10

V1



Hexagonal 34x39 cm
Tiles Matt

dLigne




GH348080
dLigne Gris
34X39 - Gol. A



GH348079
dLigne Bleu
34X39 - Gol. A



ALTERNATIVE 1
dLigne Gris



ALTERNATIVE 2
dLigne Gris



ALTERNATIVE 3
dLigne Gris



ALTERNATIVE 4
dLigne Gris



ALTERNATIVE 5
dLigne Gris



ALTERNATIVE 6
dLigne Gris



ALTERNATIVE 7
dLigne Gris



ALTERNATIVE 8
dLigne Gris



ALTERNATIVE 1
dTribeca Natural



ALTERNATIVE 2
dTribeca Natural



ALTERNATIVE 3
dTribeca Natural



ALTERNATIVE 4
dTribeca Natural



ALTERNATIVE 5
dTribeca Natural



ALTERNATIVE 6
dTribeca Natural



ALTERNATIVE 7
dTribeca Natural

Laying Pattern



ALTERNATIVE 1
dModesto Perla - dModesto
Grigio - dModesto Charcoal



ALTERNATIVE 2
dModesto Perla - dModesto
Grigio - dModesto Charcoal



ALTERNATIVE 3
dModesto Perla - dModesto
Grigio - dModesto Charcoal



ALTERNATIVE 4
dModesto Perla - dModesto
Grigio - dModesto Charcoal



ALTERNATIVE 1
dTravessa Cube



ALTERNATIVE 2
dTravessa Cube



ALTERNATIVE 3
dTravessa Cube



ALTERNATIVE 4
dTravessa Cube



ALTERNATIVE 5
dTravessa Cube - dTravessa Dark -
dTravessa Medium



ALTERNATIVE 6
dTravessa Light - dTravessa
Medium - dTravessa Dark



ALTERNATIVE 7
dTravessa Light - dTravessa Medium -
dTravessa Dark - dTravessa Cube



dSantorini
RECOMMENDED



ALTERNATIVE 1
dAcacia Brown



ALTERNATIVE 2
dAcacia Brown



ALTERNATIVE 3
dAcacia Brown




dSantorini
NOT RECOMMENDED

Shade Variations



Shade variations are the characteristic of the tile that deliberate and visible differences in graphics and colour hue. Digital Tecnica technology creates stunning ceramic tiles with hyper-realistic surface tones, markings and textures which mimic a range of natural materials including; stone, timber, terracotta, cement, mosaic, marble and more.



V1 (Uniform Appearance)

Differences among pieces from the same production run are minimal.

Radiant White
30x30



V3 (Moderate Variation)

Amount and intensity of colors on each piece may vary significantly.

dAcacia Brown
Hexagonal 34x39



V2 (Slight Variation)

Clearly distinguishable differences in texture and/or pattern within similar colors.

dEtincelle Grey
30x60



V4 (Substantial Variation)

Random color differences each tile, so that one tile may have totally different colors from other tiles.

dSantorini Blue
Hexagonal 34x39

R- Rating Slip Resistant

Floor tiles these days are given an **anti slip rating**. This rating comes in the form of an 'R' value (Ramp test) with a scale from R9 to R13 (R9 having the least slip resistance and R13 the highest slip resistance).

CLASSIFICATION	R9	R10	R11	R12
SLIP ANGLE	6-9 Degree	10-18 Degree	19-26 Degree	27-34 Degree
WET SLIP RISK	High Risk	Moderate	Moderate	Low Risk
AREA OF USE	DRY AREA	OCCASSIONAL SPILLS AND WETNESS	WET/OUTDOOR ENVIROMENT	WET/OUTDOOR ENVIROMENT

- **R9** : For internal dry area usage.
- **R10** : For internal area with occasional spill or wetness (need constant cleaning/drying) : kitchens and bathrooms.
- **R11** : For internal usage with constant spill or wetness (require continous cleaning and drying effort).
- **R12** : For external usage (works in dry and wet situation with cautions).

Packaging Information





FACTORY	SIZE (CM)	PCS/BOX	APPROX. SQM/BOX	APPROX. WEIGHT/ BOX (KG)	BOXES/ PALLET	PALLETS/ CONTAINER	APPROX. WEIGHT/ PALLET (KG)	BOXES/ CONTAINER	APPROX. GROSS WEIGHT/ CONTAINER (TONNE)	APPROX. SQM/ CONTAINER
INTERLOK HEXAGONAL										
RCI	HEXAGONAL 20cm	10	0.99	17.3	52	26	925	1352	24	1338

- NOTE :**
- Packing information may vary depending on specification of each motive and size.
 - The colours illustrated in this brocure are produced near to actual colours.

Technical Specification



TECHNICAL CHARACTERISTIC	TEST METHOD OR AS PER NORM	FLOOR TILE		WALL TILE	
		ISO 13006 REQUIREMENT		ISO 13006 REQUIREMENT	
Length and Width	ISO 10545 - 2	± 0.6 %	± 0.4 %	± 0.5 %	± 0.4 %
Side Straightness	ISO 10545 - 2	± 0.5 %	± 0.3 %	± 0.3 %	± 0.3 %
Rectangularity	ISO 10545 - 2	± 0.6 %	± 0.4 %	± 0.5 %	± 0.4 %
Center Curvature & Edge Curvature	ISO 10545 - 2	± 0.5 %	- 0.15 % to + 0.25 %	- 0.3 % to + 0.5 %	- 0.15 % to + 0.25 %
Warpage	ISO 10545 - 2	± 0.5 %	± 0.3 %	± 0.5 %	± 0.3 %
Thickness	ISO 10545 - 2	± 5.0 %	± 4.0 %	± 10 %	± 3.0 %
Water Absorption	ISO 10545 - 3	B1b ≤ 3.0 %	B1 < 3.0 %	B3 > 10 %	B3 Less than 18 %
Modulus of Rupture	ISO 10545 - 4	B1b 30 Ind. Min. 27N/mm ²	≥ 35 N/mm ²	≥ 15 N/mm ²	≥ 17 N/mm ²
Crazing Resistance	ISO 10545 -11	Required	Resistant	Required	Resistant
Chemical Resistance	ISO 10545 - 13	Minimum Class GB	Minimum Class GB	Minimum Class GB	Minimum Class GB
Stain Resistance	ISO 10545 - 14	Minimum Class 3	Minimum Class 4	Minimum Class 3	Minimum Class 5
Abrasion Resistance	ISO 10545 - 7	Group I to V	Group III to V	Not Required	Not Required

NOTE :

- The governing sizes and weights are subject to the usual variations expected of fired ceramic productions.
- Slight variations of shades/colours and surface finishes are inherent due to the nature of ceramic tile production process.

Roman

Collection Index

Interlok Hexagonal

34x39

HEXAGONAL20CM

dAcacia	8
dLigne	11
dModesto	7
dSantorini	10
dTravessa	6
dTribeca	9



Office
PT. SATYA LANGGENG SENTOSA
marketing@romanceramics.com

Export Inquiry
export@romanceramics.com

House of Roman
Quadra Centrum
Jl. Taman Aries Blok E1.3 Meruya, Jakarta
Phone : (021) 256 84 730

Jl. RS. Fatmawati No. 6A, Jakarta
Phone : (021) 7591 4925

Pusat Bahan Bangunan dan Interior
Jl. Mangga Dua Raya Blok F2 No.1, Jakarta
Phone : (021) 601 1537

Jl. Boulevard Barat Raya
Ruko LC No. 16-18, Kelapa Gading, Jakarta
Phone : (021) 4533 315

Jl. Boulevard Raya, Graha Emerald MO5/O8 No.1
Gading Serpong, Tangerang
Phone : (021) 5999 3550

Jl. Veteran no. 24, Bandung
Phone : (022) 2051 3148

Bumi Indraprasta, Home & Living Center
Jl. Panyawangan Kav.6 - B No. 6
Kota Baru Parahyangan, Bandung Barat
Phone : (022) 8779 3262

Jl. Dr. Cipto No. 163, Semarang
Phone : (024) 7653 0559

Jl Raya Magelang No. 168, Kutu asem - Sinduadi,
Mlati - Sleman, Yogyakarta
Phone : (0274) 501 4280

Jl. Mayjen Sungkono No. 46, Surabaya
Phone : (031) 566 9780

Jl. Cokroaminoto No. 160, Ubung, Denpasar
Phone : (0361) 909 3478

Jl. Prof. H.M. Yamin SH No. 34, Medan
Phone : (061) 4561 562

June 2025



Discover More



www.roman.co.id

@roman.co.id | @houseofroman.official

You and ROMAN

