

2025

Interlok



You and Roman



You and Roman.



2025
Catalog

Index

02

Company

04

Interlok Hexagonal

20

Shade Variations & R Rating

22

Technical Specifications

23

Collection Index



Roman

The company

A solid brand in ceramic industry

Since the early 70's, the company committed to the ceramic tiles industry with the production of wall tiles in PT. Metropole Megah, East Java. In the 90's Roman proved its solidity by opening a second plant, PT. Satyaraya Keramindoindah, in Tangerang, Indonesia. As a testament of its increasing success, production of a third plant in East Java started in 2007: this plant is named PT. Roman Ceramic International and is equipped with the most advanced Italian technology, making it one of the most efficient ceramic factories in the whole Indonesia and Asia.

Roman's facilities have been producing floor and wall tiles for the international market for more than three decades. Today, Roman continues to grow steadily, emerging as a leading international player and exporting to more than 90 countries worldwide, with an annual production capacity of 24 million square meters, managing the entire manufacturing process from raw materials to finished products. On a quest for flawless quality, in line with Roman's business philosophy, the standards set by the ISO 9001 certification guarantee the company has what it takes to compete in the global market.

PT. Roman Ceramic International and PT. Satyaraya Keramindoindah both belong to Lyman Group's Building Material Division.





Cutting edge technology and uncompromising quality

Roman has perfected techniques that make its ceramic tiles among the most durable and appealing in the market. Sophisticated, Italian-made equipment and innovative processes ensure excellent colour consistency and vibrant hues with low maintenance year after year. Strict controls at each stage of manufacturing guarantee that each tile leaving the factory complies with the highest international and ISO standards. Plus, even the biggest delivery commitment or the tightest deadline is easily met, thanks to the company's one-roof, fully computerized system.



A professional approach to fulfil our commitments

Professionalism is key to Roman's reputation as a leading producer of ceramic tiles. With a truly multinational team, we work hard to maintain an efficient communication flow, making sure we make good on our commitments. A holistic approach to the development of human resources gives our personnel a chance to grow, refining their skills and deepening their expertise while gaining an understanding of the company's operations as a whole. Such an approach promotes teamwork, allowing us to fulfil, and even exceed, our customers' expectations.

Interlok Tiles



Tiling will never be the same.

Interlok system allows the installation of ceramic tiles in a neat and easy way, combining each other different surfaces with a unique shape. It is possible to choose between a wide range of looks for walls, to **design scenographic compositions of great visual impact.**



30x60

dBangka	18
dBelitung	17
dBrick	8
dCanyon	13
dCaravista	6
dCastillo	9
dPyramid	7
dQuarry	11
dRavelin	10
dRiverstone	16
dSemeru	14
dTrento	12



dCaravista Autumn

dCaravista

Interlok
Tiles

30x60 cm
Structured



GL638049
dCaravista Winter
30x60 - Gol AS



GL638050
dCaravista Autumn
30x60 - Gol AS



GL638051
dCaravista Summer
30x60 - Gol AS




dPyramid Beige




Interlok
Tiles

30x60 cm
Structured


dPyramid



GL638057
dPyramid Bone
30x60 - Gol AS



GL638058
dPyramid Beige
30x60 - Gol AS



V2

dBrick

Interlok
Tiles

30x60 cm
Structured



dBrick Terra



GL638038
dBrick Terra
30x60 - Gol A



dCastillo Crema

V2



Interlok
Tiles

30x60 cm
Structured

dCastillo



GL638022
dCastillo Crema
30x60 - Gol A



V3

dRavelin Mountain

dRavelin

Interlok
Tiles

30x60 cm
Structured



GL638068
dRavelin Mountain
30x60 - Gol AS



GL638069
dRavelin Savanna
30x60 - Gol AS



dQuarry Grey



Interlok
Tiles

30x60 cm
Structured

dQuarry

V2



GL638001
dQuarry Beige
30x60 - Gol A



GL638002
dQuarry Brown
30x60 - Gol A



GL638066
dQuarry Grey
30x60 - Gol A



dTrento

Interlok
Tiles 30x60 cm
Structured

dTrento Carrara



GL638062
dTrento Carrara
30x60 - Gol AS



dCanyon Charcoal

V2





Interlok
Tiles

30x60 cm
Structured

dCanyon



GL638009
dCanyon Charcoal
30x60 - Gol A






Interlok
Tiles

30x60 cm
Structured

dSemeru

dSemeru Stone

V2 



V2



V3

dRiverstone Sand

dRiverstone

Interlok
Tiles

30x60 cm
Structured



GL638044
dRiverstone Sand
30x60 - Gol AS



GL638045
dRiverstone Misto
30x60 - Gol AS



GL638047
dRiverstone Grigio
30x60 - Gol AS



GL638046
dRiverstone Bruno
30x60 - Gol AS



dBelitung Brown

V3



Interlok
Tiles

30x60 cm
Structured

dBelitung



GL638078
dBelitung Cream
30x60 - Gol AS





GL638079
dBelitung Brown
30x60 - Gol AS



GL638080
dBelitung Grey
30x60 - Gol AS



 V3 /
  V2

dBangka Fossil

dBangka

Interlok
Tiles


30x60 cm
Structured




GL638077
dBangka Fossil
 30x60 - Gol AS




GL638076
dBangka Grey
 30x60 - Gol AS




ALTERNATIVE 1
dCastillo - dPyramid - dBrick - dCaravista




ALTERNATIVE 2
dCastillo - dPyramid - dBrick - dCaravista




ALTERNATIVE 3
dCastillo - dPyramid - dBrick - dCaravista




ALTERNATIVE 1
dQuarry - dRavelin - dCanyon - dTrento




ALTERNATIVE 2
dQuarry - dRavelin - dCanyon - dTrento




ALTERNATIVE 3
dQuarry - dRavelin - dCanyon - dTrento



ALTERNATIVE 1
dSemeru



ALTERNATIVE 2
dSemeru



ALTERNATIVE 3
dSemeru



ALTERNATIVE 1
dRiverstone - dBangka - dBelitung



ALTERNATIVE 2
dRiverstone - dBangka - dBelitung



ALTERNATIVE 3
dRiverstone - dBangka - dBelitung





ALTERNATIVE 4
dRiverstone - dBangka - dBelitung

Shade Variations



Shade variations are the characteristic of the tile that deliberate and visible differences in graphics and colour hue. Digital Tecnica technology creates stunning ceramic tiles with hyper-realistic surface tones, markings and textures which mimic a range of natural materials including; stone, timber, terracotta, cement, mosaic, marble and more.



V1 (Uniform Appearance)

Differences among pieces from the same production run are minimal.

Radiant White
30x30



V2 (Slight Variation)

Clearly distinguishable differences in texture and/or pattern within similar colors.

dEtincelle Grey
30x60



V3 (Moderate Variation)

Amount and intensity of colors on each piece may vary significantly.

dAcacia Brown
Hexagonal 34x39



V4 (Substantial Variation)

Random color differences each tile, so that one tile may have totally different colors from other tiles.

dSantorini Blue
Hexagonal 34x39

Packaging Information





FACTORY	SIZE (CM)	PCS/BOX	APPROX. SQM/BOX	APPROX. WEIGHT/ BOX (KG)	BOXES/ PALLET	PALLETS/ CONTAINER	APPROX. WEIGHT/ PALLET (KG)	BOXES/ CONTAINER	APPROX. GROSS WEIGHT/ CONTAINER (TONNE)	APPROX. SQM/ CONTAINER
INTERLOK										
RCI	30x60	6	1.01	19	40	30	785	1200	23.6	1212

NOTE :

- Packing information may vary depending on specification of each motive and size.
- The colours illustrated in this brocure are produced near to actual colours.

Technical Specification



TECHNICAL CHARACTERISTIC	TEST METHOD OR AS PER NORM	FLOOR TILE		WALL TILE	
		ISO 13006 REQUIREMENT		ISO 13006 REQUIREMENT	
Length and Width	ISO 10545 - 2	± 0.6 %	± 0.4 %	± 0.5 %	± 0.4 %
Side Straightness	ISO 10545 - 2	± 0.5 %	± 0.3 %	± 0.3 %	± 0.3 %
Rectangularity	ISO 10545 - 2	± 0.6 %	± 0.4 %	± 0.5 %	± 0.4 %
Center Curvature & Edge Curvature	ISO 10545 - 2	± 0.5 %	- 0.15 % to + 0.25 %	- 0.3 % to + 0.5 %	- 0.15 % to + 0.25 %
Warpage	ISO 10545 - 2	± 0.5 %	± 0.3 %	± 0.5 %	± 0.3 %
Thickness	ISO 10545 - 2	± 5.0 %	± 4.0 %	± 10 %	± 3.0 %
Water Absorption	ISO 10545 - 3	B1b ≤ 3.0 %	B1 < 3.0 %	B3 > 10 %	B3 Less than 18 %
Modulus of Rupture	ISO 10545 - 4	B1b 30 Ind. Min. 27N/mm ²	≥ 35 N/mm ²	≥ 15 N/mm ²	≥ 17 N/mm ²
Crazing Resistance	ISO 10545 -11	Required	Resistant	Required	Resistant
Chemical Resistance	ISO 10545 - 13	Minimum Class GB	Minimum Class GB	Minimum Class GB	Minimum Class GB
Stain Resistance	ISO 10545 - 14	Minimum Class 3	Minimum Class 4	Minimum Class 3	Minimum Class 5
Abrasion Resistance	ISO 10545 - 7	Group I to V	Group III to V	Not Required	Not Required

NOTE :

- The governing sizes and weights are subject to the usual variations expected of fired ceramic productions.
- Slight variations of shades/colours and surface finishes are inherent due to the nature of ceramic tile production process.

Roman

Collection Index

Interlok Tiles

30x60

dBangka	18
dBelitung	17
dBrick	8
dCanyon	13
dCaravista	6
dCastillo	9
dPyramid	7
dQuarry	11
dRavelin	10
dRiverstone	16
dSemeru	14
dTrento	12



Office
PT. SATYA LANGGENG SENTOSA
marketing@romanceramics.com

Export Inquiry
export@romanceramics.com

House of Roman
Quadra Centrum
Jl. Taman Aries Blok E1.3 Meruya, Jakarta
Phone : (021) 256 84 730

Jl. RS. Fatmawati No. 6A, Jakarta
Phone : (021) 7591 4925

Pusat Bahan Bangunan dan Interior
Jl. Mangga Dua Raya Blok F2 No.1, Jakarta
Phone : (021) 601 1537

Jl. Boulevard Barat Raya
Ruko LC No. 16-18, Kelapa Gading, Jakarta
Phone : (021) 4533 315

Jl. Boulevard Raya, Graha Emerald MO5/O8 No.1
Gading Serpong, Tangerang
Phone : (021) 5999 3550

Jl. Veteran no. 24, Bandung
Phone : (022) 2051 3148

Bumi Indraprasta, Home & Living Center
Jl. Panyawangan Kav.6 - B No. 6
Kota Baru Parahyangan, Bandung Barat
Phone : (022) 8779 3262

Jl. Dr. Cipto No. 163, Semarang
Phone : (024) 7653 0559

Jl Raya Magelang No. 168, Kutu asem - Sinduadi,
Mlati - Sleman, Yogyakarta
Phone : (0274) 501 4280

Jl. Mayjen Sungkono No. 46, Surabaya
Phone : (031) 566 9780

Jl. Cokroaminoto No. 160, Ubung, Denpasar
Phone : (0361) 909 3478

Jl. Prof. H.M. Yamin SH No. 34, Medan
Phone : (061) 4561 562

June 2025



Discover More



www.roman.co.id

@roman.co.id | @houseofroman.official

You and ROMAN

