

ROMAN

GRANIT

2025
CATALOG

WOODMOOD

ROMAN --- GRANIT



2025



A perfect **look**
in a perfect **body**.



ROMAN
GRANIT

SUPERIOR FEATURES FOR **UNIQUE** SURFACES.

A selection of rectified glazed porcelain tiles made only with the best raw materials. Elegant, trendy, classic, or contemporary. Our collections provide colors and sizes to create the perfect aesthetic combinations. There are many reasons to choose RomanGranit: superior quality, reliability, and creative solutions offered.

ALL THE **EXCELLENCE** OF THE BEST **PORCELAIN** **TILES.**

A premium collection, bringing prestigious settings to life while redefining trends for modern living. There are many reasons for architects, interior designers, and final consumers to choose RomanGranit for their residential and commercial spaces: from the superior quality and reliability of the line, to the creative solutions it offers to both interior and exterior environments.



THE REAL GLAZED PORCELAIN TILES

Manufactured according to the highest standards of quality, using local white clay exposed to high pressure and temperatures exceeding 1200°C, Roman Granit is a Category B1A, certified ISO13006, product. Thanks to non-existing levels of water absorption, certified below 0,5%, real glazed porcelain tile are sure preserve their everlasting beauty.



DIGITAL TECNICA

An extraordinary technology that perfectly reproduces the actual effect of natural surfaces. Wood, marble and stone have never felt so real.




RECTIFIED EDGE

RomanGranit's products are all rectified: sizes are exact and tiles can be installed with minimum joints.












THE RELIABILITY OF A SOLID COMPANY.

Roman is the leader of ceramic brands in Indonesia. As a brand of 40 years in business, Roman offers high-value products to meet the needs of architects and interior designers: Roman ceramics tiles, suitable for everyday living spaces, and RomanGranit, a selection of refined glazed porcelain tiles.



WOODMOOD

NATURAL WARMTH.

 P. 8	 P. 8	 P. 8	 P. 9	 P. 9	 P. 9
 P. 10	 P. 10	 P. 11	 P. 11	 P. 12	 P. 12
 P. 13	 P. 13	 P. 13	 P. 14	 P. 14	 P. 15
 P. 15	 P. 16	 P. 16	 P. 16	 P. 17	 P. 17
 P. 17	 P. 17	 P. 18	 P. 18	 P. 19	 P. 19
 P. 20	 P. 20	 P. 21	 P. 21	 P. 22	 P. 22

WOODMOOD



P. 23

dParottia Walnut



P. 24

dNorth White




P. 24

dNorth Latte




P. 24

dNorth Grey



P. 24

dNorth Capuccino



P. 24

dNorth Moka



P. 26

dQueensland Maple




P. v

dQueensland Pine



P. 26

dQueensland Rosato




P. 26

dQueensland Wengue



P. 27

Hickory Sabbia




P. 27

Hickory Wengue




P. 28

dKarimata Pine




P. 28

dKarimata Walnut



P. 28

dKarimata Wengue




P. 29

dGeorgia Walnut



P. 30

dSpruce Maple



P. 31

dStroud Oak




P. 31

dStroud Walnut




P. 32

dPoplar Beige




P. 32

dPoplar Brown




P. 33

dCeylon Pine



P. 33

dCeylon Walnut



P. 34

dMaloca Bianco



P. 34

dMaloca Grigio



P. 35

dPalloza Pine



P. 35

dPalloza Mahogany



P. 36

dBalsa Avorio



P. 36

dBalsa Pine




P. 36

dBalsa Rosato



P. 36

dBalsa Wengue



P. 37

dAlder Maple



P. 37

dAlder Mahogany



P. 37

dAlder Wengue




P. 38

dJati Beige



P. 38


dJati Bruno



SIZE: **120X20**

SURFACE: **STRUCTURED**


SLIP RESISTANCE: **R10**




dChallis Rosato



GT1225519R
dChallis Pine



GT1225520R
dChallis Wengue



GT1225521R
dChallis Rosato

V2




Mild random design (18)

SIZE: **120X20**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R10**



dIdaho Rosato



GT1225522R
dIdaho Pine



GT1225523R
dIdaho Maple



GT1225524R
dIdaho Rosato

V3



Moderate random design (12)

SIZE: **120X20**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



GT1222220R
dCask Walnut



GT1222221R
dCask Rosato

V3



Moderate random design (27)

SIZE: **120X20**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dMongrel Wengue



GT1222218R
dMongrel Cherry



GT1222219R
dMongrel Wengue

V2



Mild random design (27)

SIZE: **120X20**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R10**



dCrenata Beige



GT1225517R
dCrenata Beige



GT1225516R
dCrenata Maple



V2




Mild random design (27)

SIZE: **120X20**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dMerbau Pine



GT1222213R
dMerbau Pine



GT1222215R
dMerbau Walnut



GT1222214R
dMerbau Maple

V2



Mild random design (18)

SIZE: **120X20**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dJepara Oak



GT1222216R
dJepara Oak



GT1222217R
dJepara Cherry

V3




Moderate random design (18)

SIZE: **90X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dSaumlaki Beige



GT912245R
dSaumlaki Beige



GT912246R
dSaumlaki Bruno



V2




Mild random design (8)

SIZE: **90X15**

SURFACE: **MATT**


SLIP RESISTANCE: **R10**



dOrdesa Pine



GT912247R
dOrdesa Pine



GT912248R
dOrdesa Wengue



GT912249R
dOrdesa Rosato

V2



Mild random design (8)

SIZE: **90X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dCedrus Rosato




GT912239R
dCedrus Beige



GT912240R
dCedrus Sand



GT912241R
dCedrus Rosato



GT912242R
dCedrus Nero



V2




Mild random design (20)

SIZE: **90X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dQuercus Pine



GT912243R
dQuercus Pine



GT912244R
dQuercus Rosato

 V3




Moderate random design (12)

SIZE: **90X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dWakatobi Siena



GT912219R
dWakatobi Crema



GT912220R
dWakatobi Siena

V3




Moderate random design (20)

SIZE: **90X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dMahony Rosato



GT912237R
dMahony Pine



GT912238R
dMahony Rosato

V2




Mild random design (16)

SIZE: **90X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dArmona Pine



GT912216R
dArmona Pine



GT912215R
dArmona Cherry




Moderate random design (12)

SIZE: **90X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dTeak Spring



GT912235R
dTeak Spring



GT912236R
dTeak Autumn

V3




Moderate random design (20)

SIZE: **90X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dParottia Walnut



GT912214R
dParottia Walnut

V3



Moderate random design (16)



GT915527R
dNorth White



GT915523R
dNorth Latte



GT915525R
dNorth Capuccino



GT915524R
dNorth Grey



GT915526R
dNorth Moka



V3



Moderate random design (16)



True to **nature**

SIZE: **90X15**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R10**




dNorth Grey

SIZE: **90X15**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R10**



dQueensland Pine



GT915520R
dQueensland Maple



GT915521R
dQueensland Wengue



GT915519R
dQueensland Pine



GT915522R
dQueensland Rosato




Moderate random design (24)

SIZE: **90X15**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R10**



Hickory Sabbia



GT915501R
Hickory Sabbia



GT915502R
Hickory Wengue

V2



Mild random design (24)

SIZE: **90X15**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R11**




dKarimata Walnut



GT915528R
dKarimata Pine



GT915529R
dKarimata Walnut



GT915530R
dKarimata Wengue

V3




Moderate random design (24)

SIZE: **90X15**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R11**

*cake
is always a good idea*



dGeorgia Walnut



GT915532R
dGeorgia Walnut

V2




Mild random design (22)

SIZE: **60X60**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dSpruce Maple



GT602555R
dSpruce Maple

 V2



Moderate random design (6)

SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R10**



dStroud Walnut



GT605550R
dStroud Oak



GT605551R
dStroud Walnut

V3




Moderate random design (6)

SIZE: **60X60**

SURFACE: **MATT**

SLIP RESISTANCE: **R11**



dPoplar Brown



GT602266R
dPoplar Beige



GT602267R
dPoplar Brown

V2



Mild random design (8)

SIZE: **60X60**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dCeylon Walnut



GT603002R
dCeylon Pine



GT603003R
dCeylon Walnut

V2




Mild random design (6)

SIZE: **60X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dMaloca Grigio



GT612224R
dMaloca Bianco



GT612225R
dMaloca Grigio

V2




Mild random design (18)

SIZE: **60X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dPalloza Mahogany



GT612229R
dPalloza Pine



GT612230R
dPalloza Mahogany



V2




Mild random design (24)

SIZE: **60X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dBalsa Pine



GT612202R
dBalsa Avorio



GT612204R
dBalsa Rosato



GT612203R
dBalsa Pine



GT612205R
dBalsa Wengue



V2




Mild random design (30)

SIZE: **60X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dAlder Mahogany



GT612210R
dAlder Maple



GT612213R
dAlder Wengue



GT612212R
dAlder Mahogany



V2




Mild random design (30)

SIZE: **60X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dJati Bruno



GT612233R
dJati Beige



GT612234R
dJati Bruno

V2




Mild random design (18)

SIZE: **60X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dMeranti Rosato



GT612235R
dMeranti Pine



GT612236R
dMeranti Rosato



GT612237R
dMeranti Walnut

V3




Moderate random design (24)

SIZE: **60X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dSherwood Rosa



GT612206R
dSherwood Walnut



GT612207R
dSherwood Rosa

 V3




Moderate random design (54)

SIZE: **60X15**

SURFACE: **MATT**

SLIP RESISTANCE: **R10**



dRovere Rosato



GT612220R
dRovere Pine



GT612222R
dRovere Walnut




GT612221R
dRovere Antico



GT612223R
dRovere Rosato



V3




Moderate random design (48)

SIZE: **60X15**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R11**



dCalavera Avana



GT615500R
dCalavera Natura



GT615501R
dCalavera Avana



GT615502R
dCalavera Noce



V2



Mild random design (12)

SIZE: **60X15**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R11**



dTectona Walnut



GT615526R
dTectona Pine



GT615527R
dTectona Maple



GT615528R
dTectona Walnut

V2




Mild random design (22)

SIZE: **60X15**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R11**




dLumber Brown



GT615530R
dLumber Bone




GT615531R
dLumber Beige



GT615532R
dLumber Brown

V3



Moderate random design (18)

2025 INDEX

120x20

dCask	10
dChallis	8
dCrenata	12
dJepara	14
dMerbau	13
dMongrel	11

90x15

dArmona	21
dCedrus	17
dGeorgia	29
dKarimata	28
dMahony	20
dNorth	24
dOrdesa	16
dParottia	23
dQueensland	26
dQuercus	18
dSaumlaki	15
dTeak	22
dWakatobi	19
Hickory	27

60x60



dCeylon	33
dPoplar	32
dSpruce	30
dStroud	31

60x15

dAlder	37
dBalsa	36
dCalavera	42
dJati	38
dLumber	44
dMaloca	34
dMeranti	39
dPalloza	35
dRovere	41
dSherwood	40
dTectona	43

SHADE VARIATIONS

Shade variations are the characteristic of the tile that deliberate and visible differences in graphics and colour hue. Digital Tecnica technology creates stunning porcelain tiles with hyper-realistic surface tones, markings and textures which mimic a range of natural materials including; stone, timber, terracotta, cement, mosaic, marble and more.




V1 (Uniform Appearance)
Differences among pieces from the same production run are minimal.

Olvera Bright
60x60



V3 (Moderate Variation)
Amount and intensity of colors on each piece may vary significantly.

dRajasthan Sand
30x30



V2 (Slight Variation)
Clearly distinguishable differences in texture and/or pattern within similar colors.

dSalvadori White
60x60



V4 (Substantial Variation)
Random color differences each tile, so that one tile may have totally different colors from other tiles.

dDutch Blue
60x60

R-RATING SLIP RESISTANT

Floor tiles these days are given an anti slip rating. This rating comes in the form of an 'R' value (Ramp test) with a scale from R9 to R13 (R9 having the least slip resistance and R13 the highest slip resistance).

CLASSIFICATION	R9	R10	R11	R12	R13
SLIP ANGLE	6-9 DEGREE	10-18 DEGREE	19-26 DEGREE	27-34 DEGREE	>35 DEGREE
WET SLIP RISK	HIGH RISK	MODERATE	MODERATE	LOW RISK	LOW RISK
AREA OF USE	DRY AREA	OCCASIONAL WETNESS	OUTDOOR ENVIROMENT	WET/OUTDOOR ENVIROMENT	VERY WET COMMERCIAL AREA

- **R9** : For internal dry area usage.
- **R10** : For internal area with occasional spill or wetness (need constant cleaning/drying) : kitchens and bathrooms.
- **R11** : For internal usage with constant spill or wetness (require continous cleaning and drying effort).
- **R12** : For external usage (works in dry and wet situation with cautions).
- **R13** : For external usage with other contaminant (such as oil).

TECHNICAL SPECIFICATION

TECHNICAL CHARACTERISTIC	TEST METHOD OR AS PER NORM	ISO 13006 REQUIREMENT	ROMANGRANIT
Length and Width	ISO 10545-2	± 0.6%	± 0.10%
Side Straightness	ISO 10545-2	± 0.5%	± 0.10%
Rectangularity	ISO 10545-2	± 0.6%	± 0.10%
Centre & Edge Curvature	ISO 10545-2	± 0.5%	- 0.15% to + 0.25%
Warpage	ISO 10545-2	± 0.5%	± 0.25%
Thickness	ISO 10545-2	± 5.0%	± 4.0%
Water Absorption	ISO 10545-3	Group B1a ≤ 0.5%	< 0.25%
Modulus of Rupture	ISO 10545-4	Group B1a 35 Ind. Min. 32 N/mm ²	≥ 40 N/mm ²
Crazing Resistance	ISO 10545-11	Required	Resistant
Chemical Resistance	ISO 10545-13	Minimum Class GB	Minimum Class GB
Stain Resistance	ISO 10545-14	Minimum Class III	Minimum Class IV
Abrasion Resistance	ISO 10545-7	Group I to V	Group III to V

- The governing sizes and weights are subject to usual variations expected of fired ceramic productions.
- Slight variations of shades/colours and surface finishes are inherent due to the nature of ceramic tile production process.

STANDARD PACKING DATA

FACTORY	TYPE	SIZE	PIECES/BOX	APPROX. SQM/BOX	APPROX. WEIGHT KG/BOX	BOXES/PALLET	PALLET/CONTAINER	APPROX. WEIGHT KG/PALLET	APPROX. WEIGHT TONNE/CONT.	APPROX. SQM/CONT.	APPROX. BOX/CONT.
SRKI	Rectified	120x20	6	1.44	27.5	28	30	795	23.9	1210	840
SRKI	Rectified	90x15	8	1.08	21.5	60	18	1315	23.7	1166	1080
SRKI / RCI	Rectified	60x60	3	1.08	21.5	40	27	885	23.9	1166	1080
SRKI / RCI	Rectified	60x15	12	1.08	21.5	48	22	1057	23.3	1140	1056

- Packing information may vary depending on spesification of each motif and size.
- The colors illustrated in this brocure are produces near to actual colors.

Office
PT. SATYA LANGGENG SENTOSA
marketing@romanceramics.com

Export Inquiry
export@romanceramics.com

House of Roman

Quadra Centrum
Jl. Taman Aries Blok E1.3 Meruya, Jakarta
Phone : (021) 2568 4730

Jl. RS. Fatmawati No. 6A, Jakarta
Phone : (021) 7591 4925

Pusat Bahan Bangunan dan Interior
Jl. Mangga Dua Raya Blok F2 No.1, Jakarta
Phone : (021) 601 1537

Jl. Boulevard Barat Raya
Ruko LC No. 16-18, Kelapa Gading, Jakarta
Phone : (021) 453 3315

Jl. Boulevard Raya, Graha Emerald M05/08 No.1
Gading Serpong, Tangerang
Phone : (021) 5999 3550

Jl. Veteran No. 24, Bandung
Phone : (022) 2051 3148

Bumi Indraprasta, Home & Living Center
Jl. Panyawangan Kav.6 - B No. 6
Kota Baru Parahyangan, Bandung Barat
Phone : (022) 8779 3262

Jl. Dr. Cipto No. 163, Semarang
Phone : (024) 7653 0559

Jl. Raya Magelang No.168, Kutu Asem - Sinduadi,
Mlati - Sleman, Yogyakarta
Phone : (0274) 501 4280

Jl. Mayjen Sungkono No. 46, Surabaya
Phone : (031) 566 9780

Jl. Prof. H.M. Yamin SH No. 34, Medan
Phone : (061) 456 1562

Jl. Cokroaminoto No. 160, Ubung, Denpasar
Phone : (0361) 909 3478

www.roman.co.id
@roman.co.id
You and ROMAN

June 2025



Visit our website

